



**SCOTT**  
Fire & Safety

# 3M™ Scott™ Sight In-Mask Thermal Imager

With Pro Package





# 3M™ Scott™ Sight

## Hands-Free Thermal Intelligence

When you wear 3M Scott Sight, you get more than constant thermal vision. You get your hands back. That's because unlike other hand-held thermal imagers, Sight uses a small thermal camera mounted to the side of the facepiece. A miniaturized display mounted inside the facepiece allows the firefighter to always see the image without the need for reaching down and handling an imager.



## Features

- **Auto System Power Off**  
Equipped with an accelerometer to automatically turn off the system when not in use
- **Single-Button Power Off**  
Power off both the in-mask display (IMD) & thermal imaging camera (TIC) by a single button press of the IMD power button
- **IMD Instantaneous On**  
Power the IMD on with a one-second push of the IMD power button
- **Standby Mode**  
Activate standby mode with a single push of the TIC power button
- **Enhanced Battery Performance**  
Improved battery life while the system is not active on the fireground
- **Fits Any AV-3000 HT Facepiece**  
Buy as a complete kit or upgrade your current AV-3000 HT facepiece
- **In-Mask Display**  
See a clear image unaffected by external conditions
- **Adjustable Display**  
Configurable to your line of sight
- **Minimum Four-Hour Battery Life**  
Powered by simple, everyday AAA batteries
- **3M Scott Sight Mobile Configuration Application**
  - Available for download on iOS or Android
  - Configures IMD to customize brightness, icon layouts, temperature displays and display colors











# 3M™ Scott™ Sight Pro Package

## Sight Goes Pro

Sight Pro Package is the next evolution of the industry's first in-mask, hands-free thermal imaging solution. Pro Package enables new, advanced features to provide firefighters with greater situational awareness during fireground operations.



### Hot-Spot Tracker

Immediately identify the hottest part of the scene and display its relative temperature. Ideal for overhaul, search and rescue, and risk assessment.

### Cold-Spot Tracker

Immediately identify the coldest part of the scene and display its relative temperature. Ideal for hazmat environments.

### Tactical Video Recording (TVR)

Automatically record all the information shown on the IMD for review later.

### 3M Scott Sight Mobile Configurator Application

iOS and Android compatible application

Allows configuration of IMD for:


- °F or °C temperature readout
- Change icon layouts
- Configure Sight Pro Package features
- Modifying display brightness
- Modifying display colors (gray, fixed or dynamic)

# Scott Connect Sight Programmer

The Scott Connect Sight Programmer utility application is a software interface for 3M Scott Sight. Using this software and the Universal Bluetooth Programmer, you can choose from several options:

- Configure the Sight in-mask display
- Download recorded thermal video from the Sight thermal imager
- Pair a Sight in-mask display with a Sight thermal imaging camera
- Upgrade firmware on the Sight thermal imager (Pro Package required)

This software is compatible with both 64-bit and 32-bit Windows-based systems (Windows 7, 8 or 10). The Universal Bluetooth Programmer is compatible with Sight 1.0, 1.1 and 1.2.



Universal Bluetooth Programmer  
(P/N 201243-02)

## Sight w/Pro Package

Facepiece size	4-Strap	4-Strap *w/Comms	5-Strap	5-strap *w/Comms
Small	201581-11P	201581-12P	201581-01P	201581-02P
Medium	201582-11P	201582-12P	201582-01P	201582-02P
Large	201583-11P	201583-12P	201583-01P	201583-02P

## Sight

Facepiece size	4-Strap	4-Strap *w/Comms	5-Strap	5-strap *w/Comms
Small	201581-11	201581-12	201581-01	201581-02
Medium	201582-11	201582-12	201582-01	201582-02
Large	201583-11	201583-12	201583-01	201583-02

## Sight Field Install Kit and Sight Field Install Kit w/ Pro Package

Facepiece size	4-Strap	4-Strap *w/Comms	5-Strap	5-strap *w/Comms
Small	201584-01	201584-02	201584-01P	201584-02P
Medium	201585-01	201585-02	201585-01P	201585-02P
Large	201586-01	201586-02	201586-01P	201586-02P

\*Includes left-side communications mounting bracket



## 3M Scott Fire & Safety

Personal Safety Division  
Monroe Center, P.O. Box 569  
Monroe, NC 28111

Phone 1-800-247-7257  
Email US-3M-ScottMonroeCSR@mmm.com  
Web 3MScott.com

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by 3M is under license. Other trademarks and trade names are those of their respective owners.

H/S 7516\_RevE\_EN 7/19 ISO 9001 Registered.  
Please recycle. Printed in USA © 3M 2019. All rights reserved.